



Spring &
Summer

20 23

Skate
Collection





K2

YOUTH

RAIDER

Traditional Lacing
Stability Plus Cuff
F.B.I. Frame
70mm 80A Wheels
Max Wheel Size 76mm*
ABEC 3 Bearings
5 Size Adjustability

US: S 11-2, M 1-5, L 4-8

EU: S 29-34, M 32-37, L 35-40

UK: S 10-1, M 13-4, L 3-7

*Max wheel size 72mm on size S



MARLEE

Traditional Lacing
Stability Plus Cuff
F.B.I. Frame
70mm 80A Wheels
Max Wheel Size 76mm*
ABEC 3 Bearings
5 Size Adjustability

US: S 11-2, M 1-5, L 4-8

EU: S 29-34, M 32-37, L 35-40

UK: S 10-1, M 13-4, L 3-7

*Max wheel size 72mm on size S



**RAIDER PRO
& RAIDER PRO PACK**

NEW

Speed Lacing
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 3 Bearings
5 Size Adjustability

US: S 11-2, M 1-5, L 4-8
EU: S 29-34, M 32-37, L 35-40
UK: S 10-1, M 13-4, L 3-7
*70mm 80A Wheels on size S
**Max wheel size 72mm on size S

Pad Set included in Pro Pack - Blue



**RAIDER
BOA®**

The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 3 Bearings
5 Size Adjustability

US: S 11-2, M 1-5, L 4-8
EU: S 29-34, M 32-37, L 35-40
UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
**Max wheel size 72mm on size S



**MARLEE PRO
& MARLEE PRO PACK**

NEW

Speed Lacing
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 3 Bearings
5 Size Adjustability

US: S 11-2, M 1-5, L 4-8
EU: S 29-34, M 32-37, L 35-40
UK: S 10-1, M 13-4, L 3-7
*70mm 80A Wheels on size S
**Max wheel size 72mm on size S

Pad Set included in Pro Pack - Teal



**MARLEE
BOA®**

The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 3 Bearings
5 Size Adjustability

US: S 11-2, M 1-5, L 4-8
EU: S 29-34, M 32-37, L 35-40
UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
**Max wheel size 72mm on size S



**RAIDER
BEAM**

NEW

Traditional Lacing
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 3 Bearings
5 Size Adjustability
Beam Lights

US: S 11-2, M 1-5, L 4-8
EU: S 29-34, M 32-37, L 35-40
UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
**Max wheel size 72mm on size S



**SK8 HERO
BOA® ALU**

The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
76mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 5 Bearings
5 Size Adjustability

US: M 1-5, L 4-8
EU: M 32-37, L 35-40
UK: M 13-4, L 3-7



**MARLEE
BEAM**

NEW

Traditional Lacing
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 3 Bearings
5 Size Adjustability
Beam Lights

US: S 11-2, M 1-5, L 4-8
EU: S 29-34, M 32-37, L 35-40
UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
**Max wheel size 72mm on size S



**CHARM
BOA® ALU**

The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
76mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 5 Bearings
5 Size Adjustability

US: M 1-5, L 4-8
EU: M 32-37, L 35-40
UK: M 13-4, L 3-7



RECREATIONAL

KINETIC 80 MEN'S

Traditional Lacing
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US M: 5-14
EU: 36.5-49
UK: 4-13

Traditional LACING THE ORIGINAL SoftBoot



KINETIC 80 PRO MEN'S

Speed Lacing
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US M: 5-13
EU: 36.5-49
UK: 4-12

SPEED LACING THE ORIGINAL SoftBoot



KINETIC 80 WOMEN'S

Traditional Lacing
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US W: 6-11
EU: 36-42.5
UK: 3.5-8.5

Traditional LACING THE ORIGINAL SoftBoot



KINETIC 80 PRO WOMEN'S

Speed Lacing
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US W: 6-11
EU: 36-42.5
UK: 3.5-8.5

SPEED LACING THE ORIGINAL SoftBoot



FITNESS

F.I.T. 80 PRO

Speed Lacing
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US M: 5-14
EU: 36.5-49
UK: 4-13



F.I.T. 80 BOA®

NEW

The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US M: 5-14
EU: 36.5-49
UK: 4-13



ALEXIS 80 PRO

Speed Lacing
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US W: 6-11
EU: 36-42.5
UK: 3.5-8.5



ALEXIS 80 BOA®

NEW

The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US W: 6-11
EU: 36-42.5
UK: 3.5-8.5



**F.I.T. 80
ALU**

Speed Lacing
Stability Plus Cuff
Stamped Aluminum Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US M: 5-14
EU: 36.5-49
UK: 4-13



**F.I.T. 84
PRO**

Speed Lacing
Stability Plus Cuff
Stamped Aluminum
Frame
84mm 80A Wheels
Max Wheel Size 84mm
ILQ 5 Bearings

US M: 5-14
EU: 36.5-49
UK: 4-13



**ALEXIS 80
ALU**

Speed Lacing
Stability Plus Cuff
Stamped Aluminum Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

US W: 4-11
EU: 34-42.5
UK: 1.5-8.5



**ALEXIS 84
PRO**

Speed Lacing
Stability Plus Cuff
Stamped Aluminum
Frame
84mm 80A Wheels
Max Wheel Size 84mm
ILQ 5 Bearings

US W: 4-11
EU: 34-42.5
UK: 1.5-8.5



F.I.T. 84
BOA®

The BOA® Fit System
Stability Plus Cuff
Stamped Aluminum Frame
84mm 80A Wheels
Max Wheel Size 84mm
ILQ 7 Bearings
Flex Notch

US M: 5-14
EU: 36.5-49
UK: 4-13



F.I.T. 90
BOA®

The BOA® Fit System
Stability Plus Cuff
D.C. Aluminum Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 7 Bearings
Flex Notch

US M: 5-14
EU: 36.5-49
UK: 4-13



ALEXIS 84
BOA®

The BOA® Fit System
Stability Plus Cuff
Stamped Aluminum Frame
84mm 80A Wheels
Max Wheel Size 84mm
ILQ 7 Bearings
Flex Notch

US W: 4-11
EU: 34-42.5
UK: 1.5-8.5



ALEXIS 90
BOA®

The BOA® Fit System
Stability Plus Cuff
D.C. Aluminum Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 7 Bearings
Flex Notch

US W: 6-11
EU: 36-42.5
UK: 3.5-8.5



X-TRAINING

MEN'S VO2 S 90

Speed Lacing
VO2 Cuff
VO2 S Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 5-14
EU: 36.5-49
UK: 4-13



WOMEN'S VO2 S 90

Speed Lacing
VO2 Cuff
VO2 S Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US W: 6-11
EU: 36-42.5
UK: 3.5-8.5



UNISEX VO2 S 90 BOA®

The BOA® Fit System
VO2 Cuff
VO2 S Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 5-14 = **US W:** 6-11
EU: 36.5-49
UK: 4-13

For unisex skates US sizing is in men's



UNISEX VO2 S 100X BOA®

The BOA® Fit System
VO2 Cuff
VO2 S Frame
100mm / 90mm 83A Wheels
Max Wheel Size 100mm / 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 5-14 = **US W:** 6-11
EU: 36.5-49
UK: 4-13

For unisex skates US sizing is in men's



MEN'S VO2 S 100 BOA®

The BOA® Fit System
VO2 Cuff
VO2 S Frame
100mm 83A Wheels
Max Wheel Size 100mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 8-14
EU: 40.5-49
UK: 7-13



LIFESTYLE

MEN'S TRIO LT 100

NEW

Speed Lacing
Stability Plus Cuff
Stamped Aluminum Frame
100mm 83A Wheels
Max Wheel Size 100mm
ILQ 7 Bearings

US M: 5-14
EU: 36.5-49
UK: 4-13



WOMEN'S TRIO LT 100

Speed Lacing
Stability Plus Cuff
Stamped Aluminum Frame
100mm 83A Wheels*
Max Wheel Size 100mm**
ILQ 7 Bearings

US W: 4-11
EU: 34-42.5
UK: 1.5-8.5

*90mm 83A Wheels
on US W size 4-5
**Max wheel size 90mm
on US W size 4-5



BOA® TRIO LT

The BOA® Fit System
Stability Plus Cuff
Stamped Aluminum Frame
100mm 83A Wheels
Max Wheel Size 100mm
ILQ 7 Bearings

US M: 5-14 - **US W:** 6-11
EU: 36.5-49
UK: 4-13

For unisex skates US sizing is in men's



TRIO 110

Traditional Lacing
Urban Cuff
Rockerable Trio 110 Frame
110mm 90A Wheels
Max Wheel Size 110mm
ILQ 9 Bearing
UFS Compatible

US M: 6-13
EU: 38-48
UK: 5-12

For unisex skates US sizing is in men's
*Brakes included. Assembly required.



UPTOWN

Traditional Lacing
Aggressive Cuff
Rockerable 243mm Aluminum Frame
80mm 85A Wheels
Max Wheel Size 80mm
ILQ 7 Bearings
UFS Compatible

US M: 5-14 - **US W:** 6-11
EU: 36.5-49
UK: 4-13

For unisex skates US sizing is in men's
*Brakes included. Assembly required.



MARATHON

**MOD
110**

Speed Lacing
 MOD 110 Dual Density Cuff
 MOD 110 Extruded 6000 Series Frame
 110mm 85A Wheels
 Max Wheel Size 110mm
 ILQ 9 Pro Bearings
 Custom Fit Foam
 Ventilated Microfiber Upper

US M: 6-13 **W:** 7-14
EU: 38-48
UK: 5-12

For unisex skates US sizing is in men's



**REDLINE
110**

Traditional Lacing
 Removable REDLINE Carbon Cuff
 REDLINE Carbon Base
 Extruded 6000 Series Frame
 110mm 88A Wheels
 Max Wheel Size 110mm
 ILQ 9 Pro Bearings
 Ventilated Microfiber Upper

US M: 6-13 **W:** 7-14
EU: 38-48
UK: 5-12

For unisex skates US sizing is in men's



**REDLINE
125**

Traditional Lacing
 Removable REDLINE Carbon Cuff
 REDLINE Carbon Base
 Extruded 6000 Series Frame
 125mm 88A Wheels
 Max Wheel Size 125mm
 ILQ 9 Pro Bearings
 Ventilated Microfiber Upper

US M: 6-13 **W:** 7-14
EU: 38-48
UK: 5-12

For unisex skates US sizing is in men's





HELMETS & PADS

HELMETS

Varsity

NEW

Durable ABS Shell
Lightweight EPS Liner
Fit Pads
Adjustable Nylon Chin
/Ear Webbing
Ratchet Fit System
U.S. CPSC



S: 48-54cm
M: 55-58cm
L: 59-61cm



Varsity Pro

NEW

Durable ABS Shell
Lightweight EPS Liner
Sealed Fit Pads
Low Profile Micro
Fit System
Reflective Strap
U.S. CPSC



S: 48-54cm
M: 55-58cm
L: 59-61cm



Varsity MIPS

Durable ABS Shell
Lightweight EPS Liner
MIPS Evolve Safety System
Sealed Fit Pads
Adjustable Nylon Chin/Ear Webbing
Low Profile Microfit System
U.S. CPSC



S: 48-54cm
M: 55-58cm
L: 59-61cm



PADS

K2 YOUTH PAD SET

Durable plastic caps shield against impact and abrasion, while breathable mesh and elastic straps provide a perfectly comfortable, secure fit.



RAIDER PRO PAD SET

Sizing XS, S
Knee pads, elbow pads and wrist guards
Available as a set only

MARLEE PRO PAD SET

Sizing XS, S
Knee pads, elbow pads and wrist guards
Available as a set only

JUNIOR 3 PIECE PAD SET

Sizing XS, S
Knee pads, elbow pads and wrist guards
Available as a set only

K2 PAD SET

Durable plastic caps shield against impact and abrasion, while breathable mesh and elastic straps provide a perfectly comfortable secure fit.



MOTO MEN'S

S, M, L, XL
Pad set includes knee and elbow pads and wrist guards
Wrist guards also sold separately



ALEXIS WOMEN'S

S, M, L, XL
Pad set includes knee and elbow pads and wrist guards
Wrist guards also sold separately

K2 PRIME PAD SET

Styled to have a modern aesthetic! Durable plastic caps shield against impacts and scrapes while the breathable and abrasion resistant mesh panels with front fasteners bring added protection and a comfortable fit and feel throughout the skating session.



MEN'S

S, M, L, XL
Pad set includes knee and elbow pads and wrist guards
Wrist guards also sold separately



WOMEN'S

S, M, L, XL
Pad set includes knee and elbow pads and wrist guards
Wrist guards also sold separately

K2 PERFORMANCE PAD SET

Abrasion resistant, breathable mesh panels and a Coolmax moisture wicking lining allow for a comfortable experience no matter how many miles you're logging. The safety-minded design is rounded out with reflective badges for an added element of visibility.



MEN'S

S, M, L, XL
Pad set includes knee and elbow pads and wrist guards
Wrist guards also sold separately



WOMEN'S

S, M, L, XL
Pad set includes knee and elbow pads and wrist guards
Wrist guards also sold separately

REDLINE RACE GUARD SET

Durable and sleek design offering protection from road rash. Created for performance minded skaters with a slim and lightweight design.



UNISEX

Unisex Sizing S, M, L
Race Guard Set includes knee guards, elbow guards and wrist guards
Gloves, elbow guards and knee guards also sold separately.

ACCESSORIES

FRAMES

TRIO 100 FRAME KIT



Max wheel size 100mm

UFS Mounting
Rockerable 2nd Wheel
6061 Series Aluminum

S 250mm US M size 6-7.5
M 270mm US M size 8-10.5
L 285mm US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles.

TRIO 110 FRAME KIT



Max wheel size 110mm

UFS Mounting
Rockerable 2nd Wheel
6061 Series Aluminum

S 255mm US M size 6-7.5
M 270mm US M size 8-10.5
L 285mm US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles.

R100 CNC ALUMINUM FRAME



Max wheel size 100mm

UFS Mounting
Rockerable
311mm Wheelbase
6061 Series Aluminum

*Includes 6mm frame spacers, bearing spacers, and axles. (6mm frame spacers for rocker set ups)

R80 CNC ALUMINUM FRAME



Max wheel size 80mm

UFS Mounting
Rockerable
243mm Wheelbase
6061 Series Aluminum

*Includes 6mm frame spacers, bearing spacers, and axles. (6mm frame spacers for rocker set ups)

AGGRESSIVE SOLE PLATES



Wide sole plate for boot based tricks. Compatible with the Uptown. Available in black.

UFS Mounting

SIZE A US size 6-7
SIZE B US size 7.5-8
SIZE C US size 8.5-9
SIZE D US size 9.5-10
SIZE E US size 10.5-11
SIZE F US size 11.5-12
SIZE G US size 12.5-13
SIZE H US size 14

*Includes UFS screws and t-nuts.

WHEELS

BOOSTER WHEEL SERIES

Our Booster wheel series features a higher performance formula and a durable and energetic urethane to give your current ride a long lasting boost. Sizing options range from 72mm to 84mm and are available in both 4 and 8 packs with bearings and aluminum spacers installed. All wheel packs come in a cool re-usable storage bag.



BOOSTER
72MM/80A
4-PACK or 8 PACK

*Includes ILQ-5 bearings and ALU spacers.



BOOSTER
76MM/80A
4-PACK or 8 PACK

*Includes ILQ-5 bearings and ALU spacers.



BOOSTER
80MM/82A
4-PACK or 8-PACK

*Includes ILQ-7 bearings and ALU spacers.



BOOSTER
84MM/82A
4-PACK or 8-PACK

*Includes ILQ-7 bearings and ALU spacers.

BOLT SPEED WHEEL SERIES

The Bolt Speed wheels with a higher performance formula, constructed from a high-speed urethane with a race profile for a light and fast roll. This formula features both high rebound and durability and is the performance choice for X-Trainers looking to outfit their 90mm and 100mm skates. The 90mm are available in 4 and 8 packs with ILQ 9 bearings and aluminum bearing spacers. 100s available in 4 packs. Both packs come in cool multipurpose storage bags.



BOLT SPEED
90MM/85A
4-PACK or 8-PACK

*Includes ILQ-9 bearings and ALU spacers.



BOLT SPEED
100MM/85A
4-PACK

BOLT URBAN WHEEL SERIES

The Bolt Urban wheels feature a higher performance formula, high rebound, durability and a full-wheel profile for speed, stability and versatility in the city and beyond. The 80mm are available in 4 packs and the 100mm and 110mm in 2 packs. All come in a multi-purpose storage bag.



BOLT URBAN
80MM/XTRA FIRM
4-PACK




BOLT URBAN
100MM/XTRA FIRM
2-PACK



BOLT URBAN
110MM/XTRA FIRM
2-PACK

FLASH DISC WHEEL SERIES

The best wheels we've ever produced! The Flash Discs boast a higher performance formula, aerodynamic disc hubs and our latest and best urethane with a race profile. The disc hubs provide support to unlock the speed and reduce drag. Flash Disc wheels are sold individually in their own multi-purpose storage bags. See them, feel them, hear them!



FLASH DISC
110MM/XTRA FIRM
SINGLE PACK



FLASH DISC
125MM/XTRA FIRM
SINGLE PACK

RAINFLY WHEEL SERIES

Grip it and rip it with the NEW Rainfly wheels! These dual-injected wheels with high rebound and high grip are designed for skating in wet conditions. Available in 4-packs of 90mm and 110mm. Don't let a little rain stop you.



RAINFLY
90MM/85A
4-PACK



RAINFLY
110MM/85A
4-PACK

STROBE WHEEL SERIES

Illuminate your skates! The NEW Strobe wheels light up the pavement when in motion with red LEDs powered by magnetic strip spacers. Available in 2-packs of 72mm, 80mm, 84mm and 90mm. Give your skates a fresh look and light up the night!



STROBE
72MM/85A
2-PACK



STROBE
80MM/85A
2-PACK



STROBE
84MM/85A
2-PACK



STROBE
90MM/85A
2-PACK

BEARINGS



ILQ 5
Grease Lubricant
Steel Retainers
Double-Sided Metal Shield
Pack Of 16



ILQ 7
Grease Lubricant
Steel Retainers
Double-Sided Metal Shield
Pack Of 16



ILQ 9
TK Gel 6-Ball Design
Nylon Retainers
One-Sided Metal Shield
Pack Of 16



ILQ 9 PRO
TK Gel 6-Ball Design
Nylon Retainers
Rubber Shield
Pack Of 16

BAGS

SKATE CARRIERS
3 External Zippered Pockets, Ventilation Panels
Sized to carry skates, helmet, and pads.



F.I.T.



ALLIANCE



SKATE

K2 BACKPACK


The K2 Backpack is an all purpose backpack ready to take on anything that comes it's way. Features include padded back panel, exterior zip up storage pocket, padded laptop sleeve, padded backpack straps, adjustable chest strap, bicycle light clip, multifunctional organization pocket, zippable size pocket, easy access water bottle pocket, and exterior bungee stowage that is great for sneakers or helmet.

VOLUME - 30L



TOOLS

RUBBER BRAKE STOPPER



Available in Black markings or Gray non-markings.

K2 BREW



This multi-tool helps you adjust your bearings and axles. Its longer length makes it easy to access the frame mount bolts through the wheels. Also has a bottle opener as a bonus feature.

SIZING CHART

MEN'S INLINE SKATE SIZING

SKATE SIZE/ US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
5	4	36,5	9,06	23
6	5	38	9,45	24
6.5	5,5	39	9,65	24,5
7	6	39,5	9,84	25
7.5	6,5	40	10,04	25,5
8	7	40,5	10,24	26
8.5	7,5	41,5	10,43	26,5
9	8	42	10,63	27
9.5	8,5	42,5	10,83	27,5
10	9	43,5	11,02	28
10.5	9,5	44	11,22	28,5
11	10	44,5	11,42	29
11.5	10,5	45	11,61	29,5
12	11	46	11,81	30
12.5	11,5	47	12,01	30,5
13	12	48	12,20	31
14	13	49	12,60	32

WOMEN'S INLINE SKATE SIZING

SKATE SIZE/ US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
4	1,5	34	8,27	21
5	2	35	8,66	22
6	3,5	36	9,06	23
6.5	4	36,5	9,25	23,5
7	4,5	37	9,45	24
7.5	5	38	9,65	24,5
8	5,5	39	9,84	25
8.5	6	39,5	10,04	25,5
9	6,5	40	10,24	26
9.5	7	40,5	10,43	26,5
10	7,5	41,5	10,63	27
10.5	8	42	10,83	27,5
11	8,5	42,5	11,02	28

KID'S INLINE SKATE SIZING

SKATE SIZE	US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
S	11 - 2	10 - 1	29 - 34	6,69 - 8,07	17 - 20,5
M	1 - 5	13 - 4	32 - 37	7,68 - 9,06	19,5 - 23
L	4 - 8	3 - 7	35 - 40	8,66 - 10,04	22 - 25,5

HELMET SIZING

SIZE	S	M	L
Head Circumference * (in)	18,8 - 21,2	21,6 - 22,8	23,2 - 24
Head Circumference* (cm)	48 - 54	55 - 58	59 - 61

YOUTH



RAIDER MARLEE

Traditional Lacing, Stability Plus Cuff, F.B.I. Frame, 70mm 80A Wheels, Max Wheel Size 76mm*, ABEC 3 Bearings, 5 Size Adjustability
 US: S 11-2, M 1-5, L 4-8
 EU: S 29-34, M 32-37, L 35-40
 UK: S 10-1, M 13-4, L 3-7

*Max wheel size 72mm on size S



RAIDER PRO & PRO PACK MARLEE PRO & PRO PACK

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size Adjustability
 US: S 11-2, M 1-5, L 4-8
 EU: S 29-34, M 32-37, L 35-40
 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
 **Max Wheel 72mm on size S



RAIDER BEAM MARLEE BEAM

Traditional Lacing, Stability Plus Cuff, F.B.I. Frame, Beam Lights, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size Adjustability
 US: S 11-2, M 1-5, L 4-8
 EU: S 29-34, M 32-37, L 35-40
 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
 **Max Wheel 72mm on size S



SK8 HERO BOA* ALU CHARM BOA* ALU

The BOA® Fit System, Stability Plus Cuff, Stamped Aluminum Frame, 76mm 80A Wheels, Max Wheel Size 76mm, ABEC 5 Bearings, 5 Size Adjustability
 US: M 1-5, L 4-8
 EU: M 32-37, L 35-40
 UK: M 13-4, L 3-7

RECREATIONAL



KINETIC 80 MEN'S KINETIC 80 WOMEN'S

Traditional Lacing, Stability Plus Cuff, F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

MEN'S	WOMEN'S
US 5-13	US 6-11
EU 36.5-49	EU 36-42.5
UK 4-13	UK 3.5-8.5



KINETIC 80 PRO MEN'S KINETIC 80 PRO WOMEN'S

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

MEN'S	WOMEN'S
US 5-13	US 6-11
EU 36.5-49	EU 36-42.5
UK 4-13	UK 3.5-8.5

FITNESS



F.I.T. 80 PRO ALEXIS 80 PRO

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

MEN'S	WOMEN'S
US 5-14	US 6-11
EU 36.5-49	EU 36-42.5
UK 4-13	UK 3.5-8.5



F.I.T. 80 BOA* ALEXIS 80 BOA*

The BOA® Fit System, Stability Plus Cuff, F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

MEN'S	WOMEN'S
US 5-14	US 6-11
EU 36.5-49	EU 36-42.5
UK 4-13	UK 3.5-8.5



F.I.T. 80 BOA* ALEXIS 80 ALU

Speed Lacing, Stability Plus Cuff, Stamped Aluminum Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

MEN'S	WOMEN'S
US 5-14	US 6-11
EU 36.5-49	EU 34-42.5
UK 4-13	UK 1.5-8.5



F.I.T. 84 PRO ALEXIS 84 PRO

Speed Lacing, Stability Plus Cuff, Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm, ILQ 5 Bearings

MEN'S	WOMEN'S
US 5-14	US 4-11
EU 36.5-49	EU 34-42.5
UK 4-13	UK 1.5-8.5



F.I.T. 84 BOA* ALEXIS 84 BOA*

The BOA® Fit System, Stability Plus Cuff, Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm, ILQ 7 Bearings, Flex Notch

MEN'S	WOMEN'S
US 5-14	US 4-11
EU 36.5-49	EU 34-42.5
UK 4-13	UK 1.5-8.5



F.I.T. 90 BOA* ALEXIS 90 BOA*

The BOA® Fit System, Stability Plus Cuff, D.C. Aluminum Frame, 90mm 83A Wheels, Max Wheel Size 90mm, ILQ 7 Bearings, Flex Notch

MEN'S	WOMEN'S
US 5-14	US 6-11
EU 36.5-49	EU 36-42.5
UK 4-13	UK 3.5-8.5

LIFESTYLE



TRIO LT 100 MEN'S TRIO LT 100 WOMEN'S

Speed Lacing, Stability Plus Cuff, Stamped Aluminum Frame, 100mm 83A Wheels, Max Wheel Size 100mm, ILQ 7 Bearings

MEN'S	WOMEN'S
US 5-14	US 4-11
EU 36.5-49	EU 34-42.5
UK 4-13	UK 1.5-8.5

*90mm 83A Wheels, on US W size 4-5
 **Max Wheel size 90mm, on US W size 4-5



TRIO LT BOA*

The BOA® Fit System, Stability Plus Cuff, Stamped Aluminum Frame, 100mm 83A Wheels, Max Wheel Size 100mm, ILQ 7 Bearings

MEN'S
 US 5-14
 EU 36.5-49
 UK 4-13



TRIO 110

Traditional Lacing, Urban Cuff, Rockerable Trio 110 Frame, 110mm 90A Wheels, Max Wheel Size 110mm, ILQ 9 Bearing, UFS Compatible

MEN'S
 US M 6-13
 EU 38-48
 UK 5-12

*Brake included. Assembly required.



UPTOWN

Traditional Lacing, Aggressive Cuff, Rockerable 243mm Aluminum Frame, 80mm 85A Wheels, Max Wheel Size 80mm, ILQ 7 Bearings, UFS Compatible

MEN'S
 US 5-14
 EU 36.5-49
 UK 4-13

*Brake included. Assembly required.

MARATHON



MOD 110

Speed Lacing, MOD 110 Dual Density Carbon Cuff, REDLINE 6000 Series Frame, 110mm 85A Wheels, Max Wheel 110mm, ILQ 9 PRO Bearings, Custom Fit Foam Ventilated Microfiber Upper

MEN'S
US M 6-13
EU 38-48
UK 5-12



REDLINE 110

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base, Extruded 6000 Series Frame, 110mm 85A Wheels, Max Wheel 110mm, ILQ 9 Pro Bearings, Ventilated Microfiber Upper

US M 6-13
EU 38-48
UK 5-12



REDLINE 125

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base, Extruded 6000 Series Frame, 125mm 88A Wheels, Max Wheel 125mm, ILQ 9 Pro Bearings, Ventilated Microfiber Upper

US M 6-13
EU 38-48
UK 5-12



K2 SPORTS
413 Pine Street
3rd Floor
Seattle, WA 98101 USA
info@k2sports.com

K2 Sports Europe GmbH
Seeshaupter Str. 62
82377 Penzberg
Germany
info@k2sports.de

K2 Canada
1 Westside Drive, Unit 7
Toronto, Ontario
M9C 1B2 Canada
info@k2skates.ca

K2 Japan
6F, TMM BLDG, 1-10-5
Iwamoto-Cho, Chiyoda-Ku
Tokyo, Japan 101-0032