

SUMMEDIA SUMEDIA SUMEDIA



YOUTH

We believe that getting kids active in the outdoors is key to a healthy well-balanced life. Our youth skates provide the perfect opportunity for them to get some fresh air, spend time with family and friends and above all, have fun! With a completely updated youth collection highlighted by bright colors, exciting patterns and the NEW light-up Raider & Marlee Beam this summer is certain to be full of memories.

RAIDER

Traditional Lacing Stability Plus Cuff F.B.I. Frame 70mm 80A Wheels Max Wheel Size 76mm* ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*Max wheel size 72mm on size S







MARLEE

Traditional Lacing Stability Plus Cuff F.B.I. Frame 70mm 80A Wheels Max Wheel Size 76mm* ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*Max wheel size 72mm on size S











RAIDER PRO & RAIDER PRO PACK

Speed Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max Wheel 72mm on size S

Pad Set included in Pro Pack - Yellow









Speed Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max Wheel 72mm on size S

Pad Set included in Pro Pack - Purple





SoftBoot





RAIDER BOA®

The BOA® Fit System Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability



US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max wheel size 72mm on size S









MARLEE BOA®



The BOA® Fit System Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max wheel size 72mm on size S









₩ SKATES_4 **№** SKATES_5 RAIDER BEAM Traditional Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability Beam Lights



US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max wheel size 72mm on size S









Traditional Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability Beam Lights

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max wheel size 72mm on size S













SK8 HERO BOA® ALU

The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 76mm 80A Wheels Max Wheel Size 76mm ABEC 5 Bearings 5 Size Adjustability

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7









The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 76mm 80A Wheels Max Wheel Size 76mm ABEC 5 Bearings 5 Size Adjustability

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7







₩ SKATES_7 **№** SKATES_6

RECREATIONAL

It's time to get up and get moving with K2's recreation skates! The perfect entry-level skates for any new skater, the Kinetic 80 and Kinetic 80 Pro have all the tech and features needed to start rolling. With a refreshed and elevated look and an excellent price point, the Kinetics are the ideal way to get into inline skating.

KINETIC 80 MEN'S

Traditional Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

US M: 5-13 EU: 36.5-49 UK: 4-12

Traditional

SoftBoot.

KINETIC 8
WOMEN'S

Traditional Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings



US W: 6-11 EU: 36-42.5 UK: 3.5-8.5



SoftBoot.



KINETIC 80 PRO MEN'S

Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

US M: 5-13 EU: 36.5-49 UK: 4-12





SoftBoot.



KINETIC 80 PRO WOMEN'S

Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

US W: 6-11 EU: 36-42.5 UK: 3.5-8.5









FITNESS

Time to break a sweat! Whether you are a casual fitness enthusiast or a workout junkie there's a skate for you in our Fitness category. The 80mm series provides a more controlled experience for the new or casual skater. When it's time to level up, our 84mm+ series bring the speed and smooth roll needed for those longer sessions on the trail. With new colors and styling across all models and an all-new engineered mesh on the 84mm+ skates the heat is on this summer!

F.I.T. 80 PRO Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings





SoftBoot.

ALEXIS 80 PRO Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings



US W: 6-11 EU: 36-42.5 UK: 3.5-8.5



SoftBoot





The BOA® Fit System Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings



US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



ALEXIS 80 BOA® The BOA® Fit System Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings



US W: 6-11 EU: 36-42.5 UK: 3.5-8.5



SoftBoot.



RE SKATES_10

F.I.T. 80 ALU

NEW

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

US M: 5-14 EU: 36.5-49 UK: 4-13







ALEXIS 80 ALU Speed Lacing
Stability Plus Cuff
Stamped Aluminum Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings



US W: 4-11 EU: 34-42.5 UK: 1.5-8.5



SoftBoot



F.I.T. 82



Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 5 Bearings

US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



ALEXIS 84 (PRO

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 5 Bearings



US W: 4-11 EU: 34-42.5 UK: 1.5-8.5



SoftBoot.



№ SKATES_12 № SKATES_13

F.I.T. 84 BOA[®]

The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 7 Bearings Flex Notch

US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



ALEXIS 84 BOA®

The Boa® Fit System
Stability Plus Cuff
Stamped Aluminum Frame
84mm 80A Wheels
Max Wheel Size 84mm
ILQ 7 Bearings
Flex Notch

US W: 4-11 EU: 34-42.5 UK: 1.5-8.5



THE ORIGINAL



F.I.T. 90 BOA®



The BOA® Fit System Stability Plus Cuff D.C. Aluminum Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 7 Bearings Flex Notch

US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



ALEXIS 90 BOA®

The BOA® Fit System Stability Plus Cuff D.C. Aluminum Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 7 Bearings Flex Notch



US W: 6-11 EU: 36-42.5 UK: 3.5-8.5



SoftBoot.



N€ SKATES_15

X-TRAINING

Do your workouts need some variety? Looking for new ways to test yourself? Add a new element to your training routine with inline skating by hitting the pavement with our X-Training skates. They come fully loaded with functional features like VO2 S single-sided frames, big wheels with premium bearings and the Vortex Ventilation System. This seasons brings three new models to the VO2 S family, the 90 BOA Unisex, 100X BOA Unisex and a men's 100 BOA - all designed for the athlete!

V02 S 90 MEN'S Speed Lacing
VO2 Cuff
VO2 S Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 5-14 EU: 36.5-49 UK: 4-13





WOMEN'S

Speed Lacing VO2 Cuff VO2 S Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 9 Classic Plus Bearings Flex Notch Vortech Ventilation System

US W: 6-11 EU: 36-42.5 UK: 3.5-8.5









VO2 S 90 BOA® UNISEX

The BOA® Fit System V02 Cuff V02 S Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 9 Classic Plus Bearings Flex Notch Vortech Ventilation System



US M: 5-14 US W: 6-11 EU: 36.5-49 UK: 4-13



SoftBoot.

VO2 S 100X BOA® UNISEX

NEW

The BOA® Fit System
V02 Cuff
V02 S Frame
100mm / 90mm 83A Wheels
Max Wheel Size 100mm /90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 5-14 US W: 6-11 EU: 36.5-49 UK: 4-13



SOFT BOO

VO2 S 100 BOA® MEN'S The BOA® Fit System
V02 Cuff
V02 S Frame
100mm 83A Wheels
Max Wheel Size 100mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 8-14 EU: 40.5-49 UK: 7-13











₩ SKATES_16

LIFESTYLE

Whether it's commuting to work, running errands, meeting up with friends or just exploring the city, if there is pavement, we know skates are how you want to travel. For those looking for a modern do-it-all skate, the Lifestyle category features the most versatile in our line. With the stout and stylish Uptown and the Trio series featuring the NEW Trio 100 BOA our Lifestyle skates give you the options to make it your own and skate your way.

TRIO LT 100 MEN'S

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels Max Wheel Size 100mm ILQ 7 Bearings

US M: 5-14 EU: 36.5-49 UK: 4-13



SOFT ROOM



Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels Max Wheel Size 100mm ILQ 7 Bearings

US W: 4-11 EU: 34-42.5 UK: 1.5-8.5

*90mm 83A Wheels, on US W size 4-5 **Max Wheel size 90mm, on US W size 4-5



SoftBoot





TRIO LI BOA®

The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels Max Wheel Size 100mm ILQ 7 Bearings



US: M 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



TRI0 110

Traditional Lacing
Urban Cuff
Rockerable Trio 110 Frame
110mm 90A Wheels
Max Wheel Size 110mm
ILQ 9 Bearing
UFS Compatible

US M: 6-13 EU: 38-48 UK: 5-12

*Brake included. Assembly required.



SoftBoot.



N€ SKATES_19

UPTOWN

Traditional Lacing Aggressive Cuff Rockerable 243mm Aluminum Frame 80mm 85A Wheels Max Wheel Size 80mm ILQ 7 Bearings UFS Compatible

US: M 5-14 EU: 36.5-49 UK: 4-13

*Brake included. Assembly required.



SoftBoot.



MARATHON

Gain that crucial edge on the competition with our highest performing skate category. We know when it comes to marathon skating it's all about one thing...speed. These premium, race-ready skates combine lightweight materials with massive wheels and ILQ-9 PRO bearings to create some extraordinarily fast skates. The MOD 110 received an update this season highlighted by a new ventilated microfiber upper and sleek aesthetic detailing for a high-velocity look. Enjoy the ride.

MOD 110 Speed Lacing
MOD 110 Dual Density Cuff
MOD 110 Extruded 6000 Series Frame
110mm 85A Wheels
Max Wheel 110mm
ILQ 9 PRO Bearings
Custom Fit Foam
Ventilated Microfiber Upper

US M: 6-13 EU: 38-48 UK: 5-12



SoftBoot



REDLINE

Traditional Lacing
Removable REDLINE Carbon Cuff
REDLINE Carbon Base
Extruded 6000 Series Frame
110mm 85A Wheels
Max Wheel 110mm
ILQ 9 Pro Bearings
Ventilated Microfiber Upper

US M: 6-13 EU: 38-48 UK: 5-12



SoftBoot.



REDLINE 125

Traditional Lacing
Removable REDLINE Carbon Cuff
REDLINE Carbon Base
Extruded 6000 Series Frame
125mm 88A Wheels
Max Wheel 125mm
ILQ 9 Pro Bearings
Ventilated Microfiber Upper

US M: 6-13 EU: 38-48 UK: 5-12

Traditional LACING

SoftBoot.



HELMETS & PADS

Skate safe with our helmets and pad sets. Designed to fit both kids and adults, our helmets are equipped with a micro-adjustable fit, hard shell protection, and additional bicycle safety certification. New this season we have fresh colors on the Varsity and Varsity Pro as well as the addition of a Varsity Mips featuring Mips Evolve technology. Our pad sets featured a wide range of benefits including moisture wicking materials for breathability and comfort, and durable plastic caps for protection and reflective badges for visibility.

HELMETS

VARSITY

Durable ABS Shell Lightweight EPS Liner Fit Pads

Adjustable Nylon Chin/Ear Webbing Ratchet Fit System

U.S. CPSC



Matte Black Matte White Matte Blue Matte Purple

S 48-54 cm M 55-58cm L 59-61cm









VARSITY PRO

Durable ABS Shell Lightweight EPS Liner Sealed Fit Pads Low Profile Micro Fit System Reflective Strap



Matte Black Matte White Matte Blue Matte Red

S 48-54 cm M 55-58cm L 59-61cm









Durable ABS Shell Lightweight EPS Liner MIPS Evlove Safety System Sealed Fit Pads Adjustable Nylon Chin/Ear Webbing Low Profile Microfit System U.S. CPSC



Matte Black Matte Gray

S 48-54 cm M 55-58cm L 59-61cm







PADS

K2 YOUTH PAD SET

Durable plastic caps to shield against impact and abrasion, breathable mesh fabrics and elastic straps for the perfect fit.



PAD SET





RAIDER PRO

Sizing XS / S





Sizing XS / S







JUNIOR 3 PIECE PAD SET

Sizing XS / S

K2 PRIME PAD SET

Durable plastic caps to shield against impact and abrasion. Breathable and abrasion resistant mesh panels. Front side fastener for comfort.







MEN'S

S. M. L. XL *Also available indiviudally or as set K2 Prime Men's Wrist Guards



Durable plastic caps to shield against impact and abrasion. Breathable and abrasion resistant mesh panels, Coolmax moisture wicking lining. Reflective badges.



MEN'S Sizing S, M, L, XL *Also available K2 Performance Men's Wrist Guards

REDLINE RACE GUARD SET



Durable and sleek design offering protection from road rash. Created for performance minded skaters with a slim and lightweight design.



Sizing S, M, L *Also available Unisex. Sold as a set and individually. Wrist Guards, Knee Guards and Gloves.



WOMEN'S S. M. L. XI *Also available indiviudally or as set K2 Prime Women's Wrist Guards



WOMEN'S S, M, L, XL *Also available K2 Performance Women's Wrist Guards

ACCESSORIES

From frames, wheels and bearings to carriers, we've got the gear you need to enhance your skating experience. Replace worn parts, customize your set up and keep your skates in top condition with our parts and accessories.

FRAMES



TRIO 100 FRAME KI

Max wheel size 100mm

UFS Mounting Rockerable 2nd Wheel 6061 Series Aluminum

S 250mm US M size 6-7.5 M 270mm US M size 8-10.5 L 285mm US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles.



R100 CNC ALUMINUM

즐

FRAME

100mm

UFS Mounting Rockerable 311mm Wheelbase 6061 Series Aluminum

Max wheel size

*Includes 6mm frame spacers, bearing spacers, and axles, (6mm frame spacers for rocker



TRIO 11 FRAME

Max wheel size 110mm

UFS Mounting Rockerable 2nd Wheel 6061 Series Aluminum

S 255mm US M size 6-7.5 M 270mm US M size 8-10.5 L 285mm US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles.



Max wheel size 80 CNC 80mm

ALUMINUM

즊

UFS Mounting Rockerable 243mm Wheelbase FRAME

6061 Series Aluminum *Includes 6mm frame spacers, bearing spacers, and axles, (6mm frame spacers for rocker set ups)



0 0 E SE PL ES SIVE ATES

Uptown. Available in black.

UFS Mounting

SIZE A US size 6-7 SIZE B US size 7.5-8 SIZE C US size 8.5-9 SIZE D US size 9.5-10 SIZE E US size 10.5-11 SIZE F US size 11.5-12 SIZE G US size 12.5-13

SIZE H US size 14

*Includes UFS screws and t-nuts.

WHEELS

BOOSTEI WHEEL S SERI

series features a higher performance formula and a durable and energetic urethane to give your current ride a long lasting boost. Sizing options range from 72mm to 84mm and are available in both 4 and 8 packs with bearings and aluminum spacers installed. All wheel packs come in a cool re-usable storage bag.



72MM/80A 4-PACK or 8 PACK *Includes ILQ- 5 bearings and ALU spacers.



BOOSTER 76MM/80A 4-PACK or 8 PACK *Includes ILQ- 5 bearings and ALU spacers



BOOSTER 80MM/82A 4-PACK or 8-PACK *Includes ILQ- 7 bearings and ALU spacers.



BOOSTER 84MM/82A 4-PACK or 8-PACK *Includes ILQ- 7 bearings and ALU spacers

P P

The Bolt Speed wheels with a higher performance formula, constructed from a high-speed urethane with a race profile for a light and fast roll. This formula features both high rebound

and durability and is the performance choice for X-Trainers looking to outfit their 90mm and 100mm skates. The 90mm are available in 4 and 8 packs with ILQ 9 bearings and aluminum bearing spacers. 100s available in 4 packs. Both packs come in cool multipurpose storage bags. The Bolt Urban wheels feature a higher performace formaula, high

rebound, durability and a full-wheel profile for speed, stability and versatility in the city and beyond. The 80mm are available in 4 packs and the 100mm and 110mm in 2 packs. All come in a multi-purpose storage bag.



BOLT SPEED 90MM/85A 4-PACK or 8-PACK *Includes ILQ- 9 bearings and ALU spacers.



BOLT URBAN 80MM/XTRA FIRM 4-PACK



BOLT URBAN 100MM/XTRA FIRM 2-PACK



BOLT SPEED 100MM/85A 4-PACK



BOLT URBAN 110MM/XTRA FIRM 2-PACK

S ERIES $\overline{\mathbf{s}}$

The best wheels we've ever produced! The Flash Discs boast a higher performance formula, aerodynamic disc hubs and our latest and best urethane with a race profile. The disc hubs provide support to unlock the speed and reduce drag. Flash Disc wheels are sold individually in their own multi-purpose storage bags. See them, feel them, hear them!



FLASH DISC 110MM/XTRA FIRM SINGLE PACK



FLASH DISC 125MM/XTRA FIRM SINGLE PACK

AINF **SERIES**

Grip it and rip it with the NEW Rainfly wheels! These dual-injected wheels with high rebound and high grip are designed for skating in wet conditions. Available in 4-packs of 90mm and 110mm. Don't let a little rain stop you.





RAINFLY 90MM/85A 4-PACK



RAINFLY 110MM/85A 4-PACK

STROBE WHEEL **SERIES**

NEW

Illuminate your skates! The NEW Strobe wheels light up the pavement when in motion with red LEDs powered by magnetic strip spacers. Available in 2-packs of 72mm, 80mm, 84mm and 90mm. Give your skates a fresh look and light up the night!



STROBE 72MM/85A 2-PACK



STROBE 80MM/85A 2-PACK



STROBE 84MM/85A 2-PACK



STROBE 90MM/85A 2-PACK

₩ SKATES_24

K 2 S K A T E S

BEARINGS



Grease Lubricant
Steel Retainers ហ Double-Sided Metal Shield Pack Of 16



Grease Lubrican Steel Retainers Grease Lubricant **→** Double-Sided Metal Shield Pack Of 16



TK Gel 6-Ball Design
Nylon Retainers o One-Sided Metal Shield Pack Of 16



TK Gel 6-Ball Design
Nylon Retainers • Rubber Shield Pack Of 16

BAGS

3 External Zippered Pockets, Ventilation Panels
Sized to carry skates, helmet, and pads.







SKATE

The new K2 Backpack is an all purpose backpack ready to take on anything that comes it's way. Features include padded back panel, exterior zip up storage pocket, padded laptop sleeve, padded backpack straps, adjustable chest strap, bicycle light clip, multifunctional organization pocket, zippable size pocket, easy access water bottle pocket, and exterior bungee stowage that is great for sneakers or helmet.

VOLUME - 30L



TOOLS

RUBBER BRAKE STOPPER









Available in Black markings or Gray non-markings.

K2 BREW TOOL



This multi-tool helps you adjust your bearings and axles. Its longer length makes it easy to access the frame mount bolts through the wheels. Also has a bottle opener as a bonus feature.

SIZING CHART

MEN'S INLINE SKATE SIZING

SKATE SIZE/ US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
5	4	36.5	9.06	23
6	5	38	9.45	24
6.5	5.5	39	9.65	24.5
7	6	39.5	9.84	25
7.5	6.5	40	10.04	25.5
8	7	40.5	10.24	26
8.5	7.5	41.5	10.43	26.5
9	8	42	10.63	27
9.5	8.5	42.5	10.83	27.5
10	9	43.5	11.02	28
10.5	9.5	44	11.22	28.5
11	10	44.5	11.42	29
11.5	10.5	45	11.61	29.5
12	11	46	11.81	30
12.5	11.5	47	12.01	30.5
13	12	48	12.20	31
14	13	49	12.60	32

WOMEN'S INLINE SKATE SIZING

SKATE SIZE/ US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
4	1.5	34	8.27	21
5	2	35	8.66	22
6	3.5	36	9.06	23
6.5	4	36.5	9.25	23.5
7	4.5	37	9.45	24
7.5	5	38	9.65	24.5
8	5.5	39	9.84	25
8.5	6	39.5	10.04	25.5
9	6.5	40	10.24	26
9.5	7	40.5	10.43	26.5
10	7.5	41.5	10.63	27
10.5	8	42	10,83	27.5
11	8.5	42.5	11.02	28

KID'S INLINE SKATE SIZING

SKATE SIZE	US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
S	11 - 2	10 - 1	29 - 34	6.69 - 8.07	17 - 20.5
М	1 - 5	13 - 4	32 - 37	7.68 - 9.06	19.5 - 23
L	4 - 8	3 - 7	35 - 40	8.66 - 10.04	22 - 25.5

HELMET SIZING

SIZE	S	М	L
Head Circumference * (in)	18.8 - 21.2	21.6 - 22.8	23.2 - 24
Head Circumference* (cm)	48 - 54	55 - 58	59 - 61

₩ SKATES_27 ₩ SKATES_26

RAIDER MARLEE

Traditional Lacing, Stability Plus Cuff F.B.I. Frame, 70mm 80A Wheels Max Wheel Size 76mm*, ABEC 3 Bearings, 5 Size Adjustability

US: S 11-2. M 1-5. L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*Max wheel size 72mm on size S



RAIDER PRO & PRO PACK MARLEE PRO & PRO PACK

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size

US: S 11-2. M 1-5. L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S





RAIDER BEAM MARLEE BEAM

Traditional Lacing, Stability Plus Cuff, F.B.I. Frame, Beam Lights, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size Adjustability,

US: S 11-2. M 1-5. L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max Wheel 72mm on size S



SK8 HERO BOA® ALU CHARM BOA® ALU

The BOA® Fit System, Stability Plus Cuff, Stamped Aluminum Frame, 76mm 80A Wheels, Max Wheel Size 76mm, ABEC 5 Bearings, 5 Size Adjustability

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7

FITNES:



F.I.T. 80 PRO ALEXIS 80 PRO

Speed Lacing, Stability Plus Cuff F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

US 5-14 EU 36.5-49

US 6-11 FU 36-42.5



F.I.T. 84 PRO **ALEXIS 84 PRO**

Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm ILQ 5 Bearings

US 5-14 FII 36.5-49 UK 4-13

US 4-11 EU 34-42,5



F.I.T. 80 BOA* ALEXIS 80 BOA®

The BOA® Fit System, Stability Plus Cuff F.B.I. Frame, 80mm 80A Wheels Max Wheel Size 80mm, ABEC 5 Bearings

US 5-14 EU 36.5-49

US 6-11 EU 36-42.5



F.I.T. 84 BOA* ALEXIS 84 BOA

The BOA® Fit System, Stability Plus Cuff Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm ILQ 7 Bearings, Flex Notch

US 5-14 EU 36.5-49

US 4-11 FII 34-42.5 UK 1.5-8.5



Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 80mm 80A Wheels, Max Wheel Size 80mm

WOMEN'S

US 4-11 EU 34-42.5

UK 1.5-8.5

F.I.T. 90 BOA* ALEXIS 90 BOA®

F.I.T. 80 ALU

ALEXIS 80 ALU

ABEC 5 Bearings

US 5-14 EU 36.5-49 UK 4-13

The BOA® Fit System, Stability Plus Cuff D.C. Aluminum Frame, 90mm 83A Wheels, Max Wheel Size 90mm ILQ 7 Bearings, Flex Notch

US 5-14 EU 36,5-49

WOMEN'S US 6-11 FII 36-42.5 UK 3.5-8.5

RECREATIONAL



KINETIC 80 MEN'S KINETIC 80 WOMEN'S

Traditional Lacing, Stability Plus Cuff, F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

US 5-13 EU 36.5-49 UK 4-13

V02 S 90 MEN'S VO2 S 90 WOMEN'S

MEN'S

US 5-14 EU 36.5-49

UK 4-13

US 6-11 EU 36-42.5 UK 3.5-8.5



KINETIC 80 PRO MEN'S KINETIC 80 PRO WOMEN'S

Speed Lacing, Stability Plus Cuff F.B.I. Frame, 80mm 80A Wheels Max Wheel Size 80mm, ABEC 5 Bearings

US 5-13 EU 36,5-49

US 6-11 EU 36-42.5 UK 4-13 UK 3.5-8.5

VO2 S 90 BOA* UNISEX

The BOA® Fit System, VO2 Cuff, VO2 S Frame, 90mm 83A Wheels, Max Wheel Size 90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S US 6-11 EU 36-42.5 UK 3.5-8.5



V02 S 100X B0A°

The BOA® Fit System, VO2 Cuff, VO2 S Frame, 100mm / 90mm 83A Wheels, Max Wheel Size 100mm /90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S EU 36-42.5 UK 3.5-8.5



V02 S 100 BOA* MEN'S

The BOA® Fit System, VO2 Cuff, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 9 Classic Plus Bearings, Flex Notch Vortech Ventilation System

> MEN'S US 8-14, EU 40.5-49 UK 7-13

LIFES.

X-TRAINING



Speed Lacing, VO2 Cuff, VO2 S Frame,

90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

WOMEN'S

US 6-11 EU 36-42.5

UK 3.5-8.5

90mm 83A Wheels, Max Wheel Size

TRIO LT 100 MEN'S TRIO LT 100 WOMEN'S

Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 7 Bearings

WOMEN'S

US 4-11 EU 34-42.5 UK 1.5-8.5

MEN'S US 5-14 EU 36.5-49 UK 4-13

*90mm 83A Wheels, on US W size 4-5 **Max Wheel size 90mm, on US W size 4-5



TRIO LT BOA®

The BOA® Fit System, Stability Plus Cuff Stamped Aluminum Frame, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 7 Bearings

MEN'S US 5-14 EU 36.5-49 UK 4-13



TRIO 110

Traditional Lacing, Urban Cuff Rockerable Trio 110 Frame, 110mm 90A Wheels, Max Wheel Size 110mm ILQ 9 Bearing, UFS Compatible

MEN'S US M 6-13 EU 38-48 UK 5-12

*Brake included, Assembly required,



UPTOWN

Traditional Lacing, Aggressive Cuff Rockerable 243mm Aluminum Frame 80mm 85A Wheels, Max Wheel Size 80mm, ILQ 7 Bearings, UFS Compatible

> MEN'S US 5-14 EU 36.5-49 UK 4-13

*Brake included, Assembly required,

MARATHON



MOD 110

Speed Lacing, MOD 110 Dual Density Cuff, MOD 110 Extruded 6000 Series Frame, 110mm 85A Wheels, Max Wheel 110mm, ILQ 9 PRO Bearings, Custom Fit Foam Ventilated Microfiber Upper

EU 38-48 UK 5-12



REDLINE 110

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base. Extruded 6000 Series Frame, 110mm 85A Wheels , Max Wheel 110mm ILQ 9 Pro Bearings, Ventilated Microfiber Uppe

US M 6-13 EU 38-48 UK 5-12



REDLINE 125

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base. Extruded 6000 Series Frame, 125mm 88A Wheels, Max Wheel 125mm, ILQ 9 Pro Bearings, Ventilated Microfiber Upper

US M 6-13 EU 38-48 UK 5-12

₩ SKATES_28

